	Oregon Health & Science University Hospital and Clinics Provider's Orders				
			ACCOUNT NO.		
	PO7071		MED. REC. NO.		
OHSU	Q		NAME		
			BIRTHDATE		
ADULT AMBULATORY INFUSION ORDER			2		
ADAMTS13 (ADZYNMA)					
Recombinant-krhn Infusion					
Page 1 of 3				Patient Identification	
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.					
Weight:	kg	Height:	cm		
Allergies:					
Diagnosis Code					

Treatment Start Date: _____ Patient to follow up with provider on date: _____

This plan will expire after 365 days at which time a new order will need to be placed

GUIDELINES FOR ORDERING

- 1. Send FACE SHEET and H&P or most recent chart note.
- 2. Allergic-type hypersensitivity including anaphylactic reactions may occur with ADAMTS13 recombinantkrhn (ADZYNMA).
- 3. Patients may develop neutralizing antibodies, which may result in a decreased or lack of response to ADAMTS13.
- 4. Pharmacy will need to be notified at least 5 days in advance of patient scheduled infusion day to order appropriate dose of ADAMTS13 recombinant-krhn (ADZYNMA).

NURSING ORDERS:

- 1. VITAL SIGNS Monitor and record vital signs, tolerance, and presence of infusion-related reactions prior to infusion and at the end of infusion
- 2. Infuse with syringe pump at 120-240 mL/hr.
- 3. Do not administer ADAMTS13 (recombinant) in the same infusion line at the same time with other medications.

MEDICATIONS:

• ADAMTS13 recombinant-krhn (ADZYNMA) IV Infusion, ONCE, infuse per nursing communication (Pharmacist will round dose to nearest full vial size)

Dose: (must check one)

- □ 15 units/kg
- □ 20 units/kg
- □ 40 units/kg

Interval: (must check one)

- □ Every other week (default)
- □ Weekly

OHSU	Oregon Health & Science University Hospital and Clinics Provider's Orders	ACCOUNT NO.		
		MED. REC. NO.		
	ADAMTS13 (ADZYNMA)	NAME		
	Recombinant-hrhn Infusion	BIRTHDATE		
Page 2 of 3		Patient Identification		
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.				

HYPERSENSITIVITY MEDICATIONS:

- NURSING COMMUNICATION If hypersensitivity or infusion reactions develop, temporarily hold the infusion and notify provider immediately. Administer emergency medications per the Treatment Algorithm for Acute Infusion Reaction (OHSU HC-CKT-133-GUD, HMC C-132). Refer to algorithm for symptom monitoring and continuously assess as grade of severity may progress.
- 2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 3. EPINEPHrine HCI (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction

By signing below, I represent the following:

I am responsible for the care of the patient (*who is identified at the top of this form*); I hold an active, unrestricted license to practice medicine in: *Oregon* (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

My physician license Number is # ______ (MUST BE COMPLETED TO BE A VALID

PRESCRIPTION; and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

Provider signature:	Date/Time:	
Printed Name:	Phone:	Fax:

OHSU	Oregon Health & Science University Hospital and Clinics Provider's Orders			
		ACCOUNT NO.		
	ADULT AMBULATORY INFUSION ORDER	MED. REC. NO.		
	ADAMTS13 (ADZYNMA)	NAME		
	Recombinant-hrhn Infusion	BIRTHDATE		
	Page 3 of 3	Patient Identification		
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (\checkmark) to be active				

OLC Central Intake Nurse:

Phone: 971-262-9645 (providers only) Fax: 503-346-8058

Please check the appropriate box for the patient's preferred clinic location:

□ Beaverton

OHSU Knight Cancer Institute 15700 SW Greystone Court Beaverton, OR 97006 Phone number: 971-262-9000 Fax number: 503-346-8058

□ Gresham

Legacy Mount Hood campus Medical Office Building 3, Suite 140 24988 SE Stark Gresham, OR 97030 Phone number: 971-262-9500 Fax number: 503-346-8058

□ NW Portland

Legacy Good Samaritan campus Medical Office Building 3, Suite 150 1130 NW 22nd Ave. Portland, OR 97210 Phone number: 971-262-9600 Fax number: 503-346-8058

□ Tualatin

Legacy Meridian Park campus Medical Office Building 2, Suite 140 19260 SW 65th Ave. Tualatin, OR 97062 Phone number: 971-262-9700 Fax number: 503-346-8058

Infusion orders located at: www.ohsuknight.com/infusionorders