	Oregon Health & Science University Hospital and Clinics Provider's Orders			
	المان المانية ( المانية المانية المانية ( المانية المانية ) ( الم	ACCOUNT NO.		
OHSU	PO7071	MED. REC. NO.		
		NAME		
		BIRTHDATE		
ADULT AMBULATORY INFUSION ORDER Iron Infusion for Athletes				
Infusion				
Page 1 of 3				
		Patient Identification		
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.				
Weight:kg Height:cm				
Allergies:				
Diagnosis Code:				

Treatment Start Date: \_\_\_\_\_ Patient to follow up with provider on date: \_\_\_\_\_

\*\*This plan will expire after 365 days at which time a new order will need to be placed\*\*

# **GUIDELINES FOR ORDERING**

- 1. Send FACE SHEET and H&P or most recent chart note.
- 2. Guidelines for Ordering #1: Provider must order and obtain ferritin prior to patient being scheduled for iron infusion.
- 3. Guidelines for Ordering #2: This plan is intended for professional athletes. Per the World Anti-Doping Agency (WADA) Section M2.2: Infusion(s) must be restricted to 100 mL or less within a 12-hour period for both in-competitions and out-of-competitions.

# NURSING ORDERS:

- 1. Hold treatment and notify provider if ferritin is greater than 300 ng/mL.
- 2. 0.9% sodium chloride infusion as needed for vein discomfort removed from this plan to accommodate volume restrictions. If vein discomfort occurs that is bothersome to the patient, contact provider for guidance.
- 3. Instruct patient to set follow up appointment with provider for follow up labs.
- 4. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes.

# **MEDICATIONS:**

- iron sucrose (VENOFER) injection, 200 mg, IV push over 5 minutes, for 5 doses over 14 days
- ferric derisomaltose (MONOFERRIC) injection, 500 mg, IV push over 2 minutes, once weekly for 3 doses
- □ ferumoxytol (FEREHEME) infusion, 510 mg, administer by IV infusion over 15 minutes, for 2 doses every 3 to 8 days

	Oregon Health & Science University ospital and Clinics Provider's Orders ADULT AMBULATORY INFUSION ORDER Iron Infusion for Professional Athletes	ACCOUNT NO. MED. REC. NO. NAME	
		BIRTHDATE	
	Page 2 of 3	Patient Identification	
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( $\checkmark$ ) TO BE ACTIVE.			

# HYPERSENSITIVITY MEDICATIONS:

- NURSING COMMUNICATION If hypersensitivity or infusion reactions develop, temporarily hold the infusion and notify provider immediately. Administer emergency medications per the Treatment Algorithm for Acute Infusion Reaction (OHSU HC-PAT-133-GUD, HMC C-132). Refer to algorithm for symptom monitoring and continuously assess as grade of severity may progress.
- 2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 3. EPINEPHrine HCI (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction

## By signing below, I represent the following:

I am responsible for the care of the patient (*who is identified at the top of this form*); I hold an active, unrestricted license to practice medicine in: *Oregon* (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

# My physician license Number is # \_\_\_\_\_\_ (MUST BE COMPLETED TO BE A VALID

**PRESCRIPTION**; and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

Provider signature:	Date/Time:	
Printed Name:	Phone:	Fax:

Oregon Health & Science University Hospital and Clinics Provider's Orders ADULT AMBULATORY INFUSION ORDER Iron Infusion for Professional	ACCOUNT NO. MED. REC. NO. NAME			
Athletes	BIRTHDATE			
Page 3 of 3	Patient Identification			
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( $\checkmark$ ) TO BE ACTIVE.				

#### OLC Central Intake Nurse:

Phone: 971-262-9645 (providers only) Fax: 503-346-8058

#### Please check the appropriate box for the patient's preferred clinic location:

#### □ Beaverton

OHSU Knight Cancer Institute 15700 SW Greystone Court Beaverton, OR 97006 Phone number: 971-262-9000 Fax number: 503-346-8058

# □ Gresham

Legacy Mount Hood campus Medical Office Building 3, Suite 140 24988 SE Stark Gresham, OR 97030 Phone number: 971-262-9500 Fax number: 503-346-8058

## □ NW Portland

Legacy Good Samaritan campus Medical Office Building 3, Suite 150 1130 NW 22nd Ave. Portland, OR 97210 Phone number: 971-262-9600 Fax number: 503-346-8058

## □ Tualatin

Legacy Meridian Park campus Medical Office Building 2, Suite 140 19260 SW 65th Ave. Tualatin, OR 97062 Phone number: 971-262-9700 Fax number: 503-346-8058

Infusion orders located at: www.ohsuknight.com/infusionorders